

375

# Coveright

## MATERIAL SAFETY DATA SHEET

THE WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM REQUIRES THAT THE INFORMATION CONTAINED ON THESE SHEETS BE MADE AVAILABLE TO YOUR WORKERS. INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY.

FOR INDUSTRIAL USE ONLY

### SECTION I : PRODUCT IDENTIFICATION

**PRODUCT NAME:** SWEDORIT DCS, DCD, DDS, DKS, DKD, DKR, DLS, DLD, DWS, DWD, DAS, DAD, DMS, DMD, DMG, DGE, DOS, DOD, DMA, DCT, DMH, DMW and DZS decorative films

**PRODUCT CLASS:** Aminoplast resin impregnated papers

**MANUFACTURER:** COVERIGHT SURFACES INC.  
TELEPHONE: (905) 372-1896  
56 Willmott St., PO Box 724  
Cobourg, Ontario  
Canada K9A 4R5

### SECTION II : HAZARDOUS INGREDIENTS

	These products contain Formaldehyde		
<b>FORMALDEHYDE</b>	CAS # 50-00-0	free	< 0.06% w/w
		released	< 0.75 ppm in air

### SECTION III : PHYSICAL DATA

<b>Appearance:</b>	Various colour and printed pattern papers		
<b>Odour:</b>	Weak		
<b>Boiling Point:</b>	N/A	<b>Vapor Density:</b>	N/A
<b>Melting Point:</b>	N/A	<b>Evaporation Rate:</b>	N/A
<b>Volatile (%):</b>	Ca. 6%	<b>Solubility in Water:</b>	Ca. 10%
<b>pH (aqueous extract):</b>	Ca. 7	<b>Specific Gravity:</b>	N/A

decor film msds v6 (e) : Page 1 of 4

# Coverright

## MATERIAL SAFETY DATA SHEET cont'd

**PRODUCT NAME:** SWEDORIT DCS, DCD, DDS, DKS, DKD, DKR, DLS, DLD, DWS, DWD, DAS, DAD, DMS, DMD, DMG, DGE, DOS, DOD, DMA, DCT, DMH, DMW and DZS decorative films

---

### SECTION IV : FIRE AND EXPLOSION HAZARD

---

Vapor and Toxic gases (nitrous gases, hydrogen cyanide, carbon monoxide, carbon dioxide, ammonia) may evolve when film is heated or burned.

Extinguishing Media: All extinguishing media are suitable.

---

### SECTION V: REACTIVITY DATA

---

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITY:	Acids
CONDITIONS TO AVOID:	Storage of material in heated areas
HAZARDOUS DECOMPOSITION PRODUCTS :	At high temperature, formaldehyde may be released

---

### SECTION VI: HEALTH HAZARD INFORMATION

---

NOTE: This section becomes applicable if a significant amount of dust is generated during cutting or handling of the films.

EYE CONTACT:	Dust can cause eye irritation.
INHALATION:	Exposure to dust can cause irritation of nose, throat and lungs.
SKIN CONTACT:	Dust can cause skin irritation. Prolonged or repeated contact may cause dermatitis or allergic sensitization.
INGESTION:	Stomach pain.

#### FIRST AID

EYE CONTACT:	Flush the eyes with large amount of water. If irritation persists, repeat flushing. Get medical attention immediately.
INHALATION:	Provide fresh air. Get medical attention, if irritation persists.
SKIN CONTACT:	Wash gently with mild soap and water. Get medical attention if irritation persists.
INGESTION:	Contact a physician immediately.

**MATERIAL SAFETY DATA SHEET cont'd**

**PRODUCT NAME:** SWEDORIT DCS, DCD, DDS, DKS, DKD, DKR, DLS, DLD, DWS, DWD, DAS, DAD, DMS, DMD, DMG, DGE, DOS, DOD, DMA, DCT, DMH, DMW and DZS decorative films

---

**SECTION VII: SPILL, LEAK AND DISPOSAL PROCEDURES**

---

Dispose of according to applicable municipal, provincial and federal regulations.

---

**SECTION VIII: SPECIAL PROTECTION INFORMATION**

---

**RESPIRATION PROTECTION:** Respiration protection may be required to prevent exposure to airborne dust, if material is used in poorly ventilated areas.

**EYE PROTECTION:** Chemical safety goggles should be used when dusty conditions occur.

**VENTILATION:** General ventilation is usually sufficient. Local exhaust ventilation is recommended if material is heated.

**OTHER: SKIN:** Wear clean work clothing. Shower daily after workshift of exposure to dust to remove irritants from skin.

---

**SECTION IX: SPECIAL PRECAUTIONS AND COMMENTS**

---

**STORAGE:** Store the material in cool, well ventilated areas. We strongly recommend that the material should be stored in air conditioned areas at about 20° C and 50% relative humidity, out of direct sunlight, away from any source of heat and incompatible materials.

Protect containers from physical damage.

# Coverright

## MATERIAL SAFETY DATA SHEET cont'd

**PRODUCT NAME:** SWEDORIT DCS, DCD, DDS, DKS, DKD, DKR, DLS, DLD, DWS, DWD, DAS, DAD, DMS, DMD, DMG, DGE, DOS, DOD, DMA, DCT, DMH, DMW and DZS decorative films

---

### SECTION X: ADDITIONAL INFORMATION

---

The above information is intended to describe our product with respect to safety and handling requirements only. We have made every effort to provide accurate information from data available to us. However, we do not give any warranties, expressed or implied, regarding the accuracy of this information or the properties, fitness or safety of the product identified herein. We also will not be liable for any damages, losses, injuries or consequential damages which may result from the use of reliance on any information contained herein, since conditions of use and utilization of the product are beyond our control. Observance of all legal requirements is the responsibility of the user.

Date Prepared:	February 5, 1990	
Date Reviewed:	September 4, 1997	Issue #2
	March 18, 1998	Issue #3
	July 25, 2001	Issue #4
	December 20, 2002	Issue #5
	September 23, 2003	Issue #6

376

# Coveright

## MATERIAL SAFETY DATA SHEET

THE WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM REQUIRES THAT THE INFORMATION CONTAINED ON THESE SHEETS BE MADE AVAILABLE TO YOUR WORKERS. INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY.

FOR INDUSTRIAL USE ONLY

### SECTION I : PRODUCT IDENTIFICATION

**PRODUCT NAME:** SWEDOTEC TMH, TMO, TXP, TMP, TMU, THU, TGP, TGD, TYO, TSO, TXO, TXO-01 and TWO technical films

**PRODUCT CLASS:** Aminoplast resin impregnated papers

**MANUFACTURER:** COVERIGHT SURFACES CANADA INC.  
TELEPHONE: (905) 372-1896  
56 Willmott St.  
Cobourg, Ontario  
Canada K9A 4R5

### SECTION II : HAZARDOUS INGREDIENTS

	These products contain Formaldehyde			
<b>FORMALDEHYDE</b>	CAS # 50-00-0	free	<	0.06% w/w
		released	<	0.75 ppm in air

### SECTION III : PHYSICAL DATA

Appearance:	Various colour papers		
Odour:	Weak		
Boiling Point:	N/A	Vapor Density:	N/A
Melting Point:	N/A	Evaporation Rate:	N/A
Volatile (%) : Ca.	4 - 10%	Solubility in Water:	Ca. 10%
pH (aqueous extract): Ca.	7	Specific Gravity:	N/A

technical film msds v6 (e) : Page 1 of 4

**MATERIAL SAFETY DATA SHEET cont'd**

**PRODUCT NAME:** SWEDOTEC TMH, TMO, TXP, TMP, TMU, THU, TGP, TGD, TYO, TSO, TXO, TXO-01 and TWO technical films

---

**SECTION IV : FIRE AND EXPLOSION HAZARD**

---

Vapor and Toxic gases (nitrous gases, hydrogen cyanide, carbon monoxide, carbon dioxide, ammonia) may evolve when film is heated or burned.  
Extinguishing Media: All extinguishing media are suitable.

---

**SECTION V: REACTIVITY DATA**

---

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITY:	Acids
CONDITIONS TO AVOID:	Storage of material in heated areas
HAZARDOUS DECOMPOSITION PRODUCTS :	At high temperature, formaldehyde may be released

---

**SECTION VI: HEALTH HAZARD INFORMATION**

---

**NOTE:**This section becomes applicable if a significant amount of dust is generated during cutting or handling the films.

**EYE CONTACT:** Dust can cause eye irritation.  
**INHALATION:** Exposure to dust can cause irritation of nose, throat and lungs.  
**SKIN CONTACT:** Dust can cause skin irritation.  
Prolonged or repeated contact may cause dermatitis or allergic sensitization.  
**INGESTION:** Stomach pain.

**FIRST AID**

**EYE CONTACT:** Flush the eyes with large amount of water. If irritation persists, repeat flushing. Get medical attention immediately.  
**INHALATION:** Provide fresh air. Get medical attention, if irritation persists.  
**SKIN CONTACT:** Wash gently with mild soap and water. Get medical attention if irritation persists.  
**INGESTION:** Contact a physician immediately.

technical film msds v5 (e) : Page 2 of 4

# Coveright

## MATERIAL SAFETY DATA SHEET cont'd

**PRODUCT NAME:** SWEDOTEC TMH, TMO, TXP, TMP, TMU, THU, TGP, TGD, TYO, TSO, TXO, TXO-01 and TWO technical films

---

### SECTION VII: SPILL, LEAK AND DISPOSAL PROCEDURES

---

Dispose of according to applicable municipal, provincial and federal regulations.

---

### SECTION VIII: SPECIAL PROTECTION INFORMATION

---

**RESPIRATION PROTECTION:** Respiration protection may be required to prevent exposure to airborne dust, if material is used in poorly ventilated areas.

**EYE PROTECTION:** Chemical safety goggles should be used when dusty conditions occur.

**VENTILATION:** General ventilation is usually sufficient. Local exhaust ventilation is recommended if material is heated.

**OTHER: SKIN:** Wear clean work clothing. Shower daily after workshift of exposure to dust to remove irritants from skin.

---

### SECTION IX: SPECIAL PRECAUTIONS AND COMMENTS

---

**STORAGE:** Store the material in cool, well ventilated areas. We strongly recommend that the material should be stored in air-conditioned areas at about 20° C and 50% relative humidity, out of direct sunlight, away from any source of heat and incompatible materials.

Protect containers from physical damage.

**MATERIAL SAFETY DATA SHEET cont'd**

**PRODUCT NAME:** SWEDOTEC TMH, TMO, TXP, TMP, TMU, THU, TGP, TGD, TYO, TSO, TXO, TXO-01 and TWO technical films

---

**SECTION X: ADDITIONAL INFORMATION**

---

The above information is intended to describe our product with respect to safety and handling requirements only. We have made every effort to provide accurate information from data available to us. However, we do not give any warranties, expressed or implied, regarding the accuracy of this information or the properties, fitness or safety of the product identified herein. We also will not be liable for any damages, losses, injuries or consequential damages which may result from the use of reliance on any information contained herein, since conditions of use and utilization of the product are beyond our control. Observance of all legal requirements is the responsibility of the user.

Date Prepared:	1994	
Date Reviewed:	September 4, 1997	Issue #2
	July 25, 2001	Issue #3
	December 20, 2002	Issue #4
	July 23, 2003	Issue #5



444

# Coveright

## MATERIAL SAFETY DATA SHEET

THE WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM REQUIRES THAT THE INFORMATION CONTAINED ON THESE SHEETS BE MADE AVAILABLE TO YOUR WORKERS. INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY.

FOR INDUSTRIAL USE ONLY

### SECTION I : PRODUCT IDENTIFICATION

**PRODUCT NAME:** SWEDOBOND GX and GM Glue Film

**PRODUCT CLASS:** Aminoplast resin impregnated papers

**MANUFACTURER:** COVERIGHT SURFACES CANADA INC.  
TELEPHONE: (905) 372-1896  
56 Willmott St.  
Cobourg, Ontario  
Canada K9A 4R5

### SECTION II : HAZARDOUS INGREDIENTS

	These products contain Formaldehyde		
<b>FORMALDEHYDE</b>	CAS # 50-00-0	free	< 0.06% w/w
		released	< 0.75 ppm in air

### SECTION III : PHYSICAL DATA

<b>Appearance:</b>	Natural or light brown papers		
<b>Odour:</b>	Weak	<b>Vapor Density:</b>	N/A
<b>Boiling Point:</b>	N/A	<b>Evaporation Rate:</b>	N/A
<b>Melting Point:</b>	N/A	<b>Solubility in Water:</b>	Ca. 10%
<b>Volatile (%) : Ca.</b>	6%	<b>Specific Gravity:</b>	N/A
<b>pH (aqueous extract):</b>	Ca. 7		

glue film msds w4 (e) : Page 1 of 4

# Coverright

MATERIAL SAFETY DATA SHEET cont'd

**PRODUCT NAME:** SWEDOBOND GX and GM Glue Film

---

## SECTION IV : FIRE AND EXPLOSION HAZARD

---

Vapor and Toxic gases (nitrous gases, hydrogen cyanide, carbon monoxide, carbon dioxide, ammonia) may evolve when film is heated or burned.

Extinguishing Media: All extinguishing media are suitable.

---

## SECTION V: REACTIVITY DATA

---

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
INCOMPATIBILITY:	Acids
CONDITIONS TO AVOID:	Storage of material in heated areas
HAZARDOUS DECOMPOSITION PRODUCTS:	At high temperature, formaldehyde may be released

---

## SECTION VI: HEALTH HAZARD INFORMATION

---

**NOTE:** This section becomes applicable if a significant amount of dust is generated during cutting or handling of the films.

EYE CONTACT:	Dust can cause eye irritation.
INHALATION:	Exposure to dust can cause irritation of nose, throat and lungs.
SKIN CONTACT:	Dust can cause skin irritation. Prolonged or repeated contact may cause dermatitis or allergic sensitization.
INGESTION:	Stomach pain.

### FIRST AID

EYE CONTACT:	Flush the eyes with large amount of water. If irritation persists, repeat flushing. Get medical attention immediately.
INHALATION:	Provide fresh air. Get medical attention, if irritation persists.
SKIN CONTACT:	Wash gently with mild soap and water. Get medical attention if irritation persists.
INGESTION:	Contact a physician immediately.

**MATERIAL SAFETY DATA SHEET cont'd****PRODUCT NAME:** SWEDOBOND GX and GM Glue Film

---

**SECTION VII: SPILL, LEAK AND DISPOSAL PROCEDURES**

---

Dispose of according to applicable municipal, provincial and federal regulations.

---

**SECTION VIII: SPECIAL PROTECTION INFORMATION**

---

**RESPIRATION PROTECTION:** Respiration protection may be required to prevent exposure to airborne dust, if material is used in poorly ventilated areas.**EYE PROTECTION:** Chemical safety goggles should be used when dusty conditions occur.**VENTILATION:** General ventilation is usually sufficient. Local exhaust ventilation is recommended if material is heated.**OTHER: SKIN:** Wear clean work clothing. Shower daily after workshift of exposure to dust to remove irritants from skin.

---

**SECTION IX: SPECIAL PRECAUTIONS AND COMMENTS**

---

**STORAGE:** Store the material in cool, well ventilated areas. We strongly recommend that the material should be stored in air-conditioned areas at about 20° C and 50% relative humidity, out of direct sunlight, away from any source of heat and incompatible materials.

Protect containers from physical damage.

**MATERIAL SAFETY DATA SHEET cont'd****PRODUCT NAME:** SWEDOBOND GX and GM Glue Film

---

**SECTION X: ADDITIONAL INFORMATION**

---

The above information is intended to describe our product with respect to safety and handling requirements only. We have made every effort to provide accurate information from data available to us. However, we do not give any warranties, expressed or implied, regarding the accuracy of this information or the properties, fitness or safety of the product identified herein. We also will not be liable for any damages, losses, injuries or consequential damages which may result from the use of reliance on any information contained herein, since conditions of use and utilization of the product are beyond our control. Observance of all legal requirements is the responsibility of the user.

Prepared By : Dr. Truong Nguyen  
Coveright Surfaces  
Telephone: (905) 372-1896

Date Prepared: 1994  
Date Reviewed: September 4, 1997 Issue #2  
July 25, 2001 Issue #3  
September 23, 2003 Issue #4

